

Wood burning heater Harvia Legend 300 black

WKLE36M

The Harvia Legend wood burning heaters give you the ultimate sauna experience. The black steel frame has a mighty amount of stones inside, and as they heat up, you get a magnificent sauna bath even at a lower temperature. The large number of stones ensures good heat, even if the fire dies down in between.



Features

Main material : Steel

H x W x D : 1040.0 x 600.0 x 660.0 mm

Net weight (kg) : 91.4

Stone amount (kg) : 260.0

ID	GTIN	Power	Sauna room size min - max m3
WKLE36M	6417659036481	23. kW	14.0-28.0

Spare parts

Product	ID	Pcs
Furnace grate	ZKIP-10	
Legend 300 steel frame	WX504	
Stove body Legend 300	ZH1-300LD	
Handle and screws, Chrome	SPZKIP-670	1
Adjustable legs for LG150/SL	SPZKIP-918	1
Hinge pin	SPZKIP-50	1
Door for stove with knob, black	SP010	1
Glass kit, GreenFlame	SP676	1
Ashtray black, sauna heaters	SP682	1
Cap for smoke hole (Ø 115 mm)	SPZKIP-140	1
Connection pipe 200 mm	SPZKIP-130	1
Glass 184x210x4 mm Stoves 2006-, transparent	SPZTS-36	
Big glass door	SP673	1
Stove door with glass (from 2006)	SP048	1
Cast-iron grating 135x290mm, sauna heaters	SPZKIP-10	1
Cap for smoke hole (Ø 75 mm)	SPZROB-430	1

Technical details

Technical data	Type / attribute	WKLE36M
	Color	Black
	Power output	23. kW
	Stone sizes	Ø10-15 cm
	Stone amount (kg)	260
Dimensions	Product width	600
	Product height	1040
	Product depth (mm)	660
	Net weight (kg)	91.4
	Gross weight	95.2
	Package width	670
	Package height	1060
	Package depth	620
Connections	Flue connection locations	Back, Top
	Chimney connection diameter	115
Safety and installation dimensions	Safety distance front (non-combustible materials)	680
	Safety distance front (combustible materials)	680
	Safety distance right side (combustible materials)	200
	Safety distance right side non-combustible materials	100
	Safety distance left side (combustible materials)	200
	Safety distance left side non-combustible materials	100
	Safety distance behind (non-combustible materials)	100
	Safety distance behind (combustible materials)	250
	Safety distance (Ceiling)	1000
	Room min. height(depends on connections and therefore from output, star/delta)	2050
Installation opening height	2050	

Technical details

Technical data	Type / attribute	WKLE36M
	Installation opening width	1000
	Installation opening depth	1590

Technical images

